## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

- 1. (Currently amended) A computerized system providing for the management and configuration of one or more therapeutic substance infusion devices, comprising: a server connected to an internetwork a network, said server further being connected to a database of patient information;
  - a remote suite of computer readable remote program code devices for support of therapeutic substance infusion devices connected through said internetwork network comprising:
    - a first computer readable remote program code device adapted to permit a user to provide feedback to a therapeutic substance infusion device manufacturer regarding the operation of the one or more therapeutic substance infusion devices;
    - a second computer readable remote program code device which allows
      the user access to reports a report including information on
      detailing therapeutic substance infusion device patient support
      and device replacement management;
    - a third computer readable remote program code device which allows a user access to literature and materials providing information concerning therapeutic substance infusion devices;
    - and a fourth computer readable remote program code device which provides a communication connection between a clinician and a pharmacy.

- 2. (Currently amended) The computerized system of claim 1, wherein the first computer readable remote program code device allows the user to register a therapeutic substance infusion device with a the medical device manufacturer.
- 3. (Canceled)
- 4. (Original) The computerized system of claim 3, wherein the first computer readable remote program code device allows the user to view a therapeutic substance infusion device's capabilities and interconnectivities.
- 5. (Original) The computerized system of claim 1, wherein the second computer readable remote program code device allows the user to view a list of therapeutic substance infusion devices implanted in one or more patients and schedule events pertaining to these devices.
- 6. (Original) The computerized system of claim 5, wherein the second computer readable remote program code device allows the user to view at least one patient's prescription history and medical history.
- 7. (Previously presented) The computerized system of claim 5, wherein the second computer readable remote program code device predicts a lifespan of at least one therapeutic substance infusion device.
- 8. (Currently amended) The computerized system of claim 7, wherein the predicted lifespan is based on an algorithm provided by a the therapeutic substance infusion device manufacturer.
- 9. (Currently amended) The computerized system of claim 8, wherein the algorithm performs calculations for therapeutic substance infusion device

replacement based on information learned by <u>the</u> therapeutic substance infusion device <u>manufacturer</u> on therapeutic substance infusion devices in an existing patient population.

- 10. (Previously presented) The computerized system of claim 9, wherein the predicted lifespan includes a minimum life expectancy, a maximum life expectancy, and a predicted failure date for the at least one therapeutic substance infusion device.
- 11. (Original) The computerized system of claim 5, wherein the second computer readable remote program code device provides the user with a therapeutic substance infusion device replacement schedule to provide reminders of upcoming device replacement priorities.
- 12. (Currently amended) The computerized system of claim 1, wherein a server file or a web page is accessed to provide access to the literature and materials concerning therapeutic substance infusion devices.
- 13. (Currently amended) The computerized system of claim 12, wherein the literature and materials is specifically targeted to the user's areas of interest.
- 14. (Currently amended) The computerized system of claim 1, wherein the fourth computer readable remote program code device allows the clinician to place orders or refills of a therapeutic agent on behalf of a patient.
- 15. (Original) The computerized system of claim 14, wherein the fourth computer readable remote program code device allows the user to change prescription orders of a therapeutic agent on behalf of a patient.

- 16. (Original) The computerized system of claim 1, wherein the fourth computer readable remote program code device provides the user with an automated dosage calculator to provide predictive scenarios of contemplated treatment regimens.
- 17. (Currently amended) The computerized system of claim 1, wherein the fourth computer readable remote program code device provides the user with <u>at least one of pump refill reminders and or prescription order reminders</u>.
- 18. (Previously presented) The computerized system of claim 1, wherein at least one computer readable remote program code device is implemented as an Internet graphical user interface application portal.
- 19. (Original) The computerized system of claim 18, wherein the graphical user interface is a user-configurable template.
- 20. (Currently amended) The computerized system of claim 18, wherein the Internet graphical user interface is implemented with <u>at least one of Java or and HTML technologies</u>.
- 21. (Original) The computerized system of claim 1, wherein the server hosts a first computer readable server program code device for the entry of patient information into the database of patient information.
- 22. (Original) The computerized system of claim 21, wherein the server is further connected to a database of therapeutic substance infusion device information.
- 23. (Original) The computerized system of claim 22, wherein the server further hosts a second computer readable server program code device for the entry of

therapeutic substance infusion device information into the database of therapeutic substance infusion device information.

- 24. (Original) The computerized system of claim 23, wherein the server is further connected to a database of user profiles.
- 25. (Original) The computerized system of claim 24, wherein the server further hosts a third computer readable server program code device for the entry of user profile information into the database of user profiles.
- 26. (Original) The computerized system of claim 25, wherein the server is further connected to a database of therapeutic agent information.
- 27. (Original) The computerized system of claim 26, wherein the server further hosts a fourth computer readable server program code device for the entry of therapeutic agent data into the database of therapeutic agent information.
- 28. (Original) The computerized system of claim 27, wherein the server hosts a fifth computer readable server program code device for the accessing and analysis of therapeutic agent data as applied to at least one specific patient.
- 29. (Original) The computerized system of claim 28, wherein the fifth computer readable server program code device determines compatibility with at least one therapeutic substance infusion device.
- 30. (Original) The computerized system of claim 29, wherein the therapeutic agent data comprises recommended dosages and agent interaction data.

- 31. (Original) The computerized system of claim 21, wherein the patient data further comprises therapeutic agent allergies for at least one specific patient.
- 32. (Original) The computerized system of claim 31, wherein the fifth computer readable server program code device provides therapeutic agent refill and order reminders.
- 33. (Currently amended) The computerized system of claim 32, wherein access to the server is provided to third party users over a secure virtual connection over a public internetwork network.
- 34. (Currently amended) The computerized system of claim 33, wherein the third party users can be include at least one of pharmacists, physicians, patients, or therapeutic substance infusion device manufacturers a pharmacist, a physician, a patient, and the therapeutic substance infusion device manufacturer.
- 35. (Original) The computerized system of claim 34, wherein the access to the server is provided following encrypted knowledge-based authentication.
- 36. (Original) The computerized system of claim 35, wherein the access to the server is provided following receipt of a passphrase over an encrypted channel.
- 37. (Original) The computerized system of claim 36, wherein access to the server is provided over a secure socket layer protocol connection.
- 38. (Currently amended) The computerized system of claim 37, wherein the connection of the server to the <u>internetwork network</u> is a business-to-business connection with at least one therapeutic agent dispensary.

- 39. (Currently amended) The computerized system of claim 38, wherein the connection of the server to the internetwork network is a business-to-customer connection with at least one physician.
- 40. (Currently amended) The computerized system of claim 39, wherein the connection of the server to the internetwork network is a business-to-customer connection with at least one patient.
- 41. (Currently amended) A computerized system providing for the management and configuration of one or more therapeutic substance infusion devices, comprising: a server connected to an internetwork a network;
  - a database of patient information connected to said internetwork network;
  - a database of therapeutic substance infusion device information connected to said internetwork network;
  - a database of therapeutic agent information connected to said internetwork network;
  - a database of user profile information connected to said internetwork network; a suite of computer readable remote program code devices for support of therapeutic substance infusion devices connected through said
  - a first computer readable remote program code device that allows a user to manage therapeutic substance infusion devices, said first application allowing the user to register a therapeutic substance infusion device with a medical device manufacturer;

internetwork network including:

a second computer readable remote program code device that allows the user access to reports a report which includes information on detailing therapeutic substance infusion device patient support and device replacement management, said second application further allowing the user to view a list of therapeutic substance infusion devices implanted

- in one or more patients and schedule events pertaining to these devices:
- a third computer readable remote program code device which allows a user access to literature and materials providing information concerning therapeutic substance infusion devices, said literature and materials being specifically targeted based upon user profile information;
- and a fourth computer readable remote program code device that allows a clinician to communicate with a pharmacy wherein the clinician can place orders or refills of a therapeutic agent on behalf of a patient.
- 42. (Currently amended) The computerized system of claim 41, wherein the first computer readable remote program code device allows the user to provide feedback to a <u>the</u> therapeutic substance infusion device manufacturer regarding the operation of the therapeutic substance infusion device.
- 43. (Original) The computerized system of claim 42, wherein the first computer readable remote program code device allows the user to view a therapeutic substance infusion device's capabilities and interconnectivities.
- 44. (Original) The computerized system of claim 43, wherein the second computer readable remote program code device allows the user to view at least one patient's prescription history and medical history.
- 45. (Original) The computerized system of claim 44, wherein the second computer readable remote program code device predicts a lifespan of at least one therapeutic substance infusion device.
- 46. (Currently amended) The computerized system of claim 45, wherein the predicted lifespan is based on an algorithm provided by a the therapeutic substance infusion device manufacturer.

- 47. (Currently amended) The computerized system of claim 46, wherein the algorithm performs calculations for therapeutic substance infusion device replacement based on information learned by the therapeutic substance infusion device manufacturers manufacturer on therapeutic substance infusion devices in an existing patient population.
- 48. (Previously presented) The computerized system of claim 47, wherein the predicted lifespan includes a minimum life expectancy, a maximum life expectancy, and a predicted failure date for the at least one therapeutic substance infusion device.
- 49. (Original) The computerized system of claim 48, wherein the second computer readable remote program code device provides the user with a therapeutic substance infusion device replacement schedule to provide reminders of upcoming device replacement priorities.
- 50. (Previously presented) The computerized system of claim 49, wherein a server file or a web page is accessed to provide access to the literature and materials concerning therapeutic substance infusion devices.
- 51. (Original) The computerized system of claim 50, wherein the fourth computer readable remote program code device allows the user to change prescription orders of a therapeutic agent on behalf of a patient.
- 52. (Original) The computerized system of claim 51, wherein the fourth computer readable remote program code device provides the user with an automated dosage calculator to provide predictive scenarios of contemplated treatment regimens.

- 53. (Currently amended) The computerized system of claim 52, wherein the fourth computer readable remote program code device provides the user with <u>at least</u> one of pump refill <u>reminders and or prescription</u> order reminders.
- 54. (Original) The computerized system of one of claims 53, wherein at least one computer readable remote program code device is implemented as an Internet graphical user interface application portal.
- 55. (Original) The computerized system of claim 54, wherein the graphical user interface is a user-configurable template.
- 56. (Original) The computerized system of claim 55, wherein the server hosts a first computer readable server program code device for the entry of patient information into the database of patient information.
- 57. (Original) The computerized system of claim 56, wherein the server further hosts a second computer readable server program code device for the entry of therapeutic substance infusion device information into the database of therapeutic substance infusion device information.
- 58. (Original) The computerized system of claim 57, wherein the server further hosts a third computer readable server program code device for the entry of user profile information into the database of user profiles.
- 59. (Original) The computerized system of claim 58, wherein the server further hosts a fourth computer readable server program code device for the entry of therapeutic agent data into the database of therapeutic agent information.

- 60. (Original) The computerized system of claim 59, wherein the server hosts a fifth computer readable server program code device for the accessing and analysis of therapeutic agent data as applied to at least one specific patient.
- 61. (Original) The computerized system of claim 60, wherein the fifth computer readable server program code device determines compatibility with at least one therapeutic substance infusion device.
- 62. (Original) The computerized system of claim 61, wherein the therapeutic agent data comprises recommended dosages and agent interaction data.
- 63. (Previously presented) The computerized system of claim 62, wherein the patient information further comprises therapeutic agent allergies for at least one specific patient.
- 64. (Original) The computerized system of claim 63, wherein the fifth computer readable server program code device provides therapeutic agent refill and order reminders.
- 65. (Original) The computerized system of claim 64, wherein access to the server is provided to third party users over a secure virtual connection over a public internetwork.
- 66. (Currently amended) The computerized system of claim 65, wherein the third party users ean be pharmacists, physicians, patients, or therapeutic substance infusion device manufacturers includes at least one of a pharmacist, a physician, a patient, and the therapeutic substance infusion device manufacturer.

- 67. (Original) The computerized system of claim 66, wherein the access to the server is provided following encrypted knowledge-based authentication.
- 68. (Original) The computerized system of claim 67, wherein the access to the server is provided following receipt of a passphrase over an encrypted channel.
- 69. (Original) The computerized system of claim 68, wherein access to the server is provided over a secure socket layer protocol connection.
- 70. (Currently amended) The computerized system of claim 69, wherein a the therapeutic substance infusion device manufacturer administers the server.
- 71. (Original) The computerized system of claim 70, wherein the connection of the server to the internetwork is a business-to-business connection with at least one therapeutic agent dispensary.
- 72. (Original) The computerized system of claim 71, wherein the connection of the server to the internetwork is a business-to-customer connection with at least one physician.
- 73. (Original) The computerized system of claim 72, wherein the connection of the server to the internetwork is a business-to-customer connection with at least one patient.
- 74. (Currently amended) A computerized system providing for the management and configuration of one or more therapeutic substance infusion devices, comprising: an internetwork a network;
  - a database of patient information connected to said internetwork network;

- a database of therapeutic substance infusion device information connected to said internetwork network;
- a database of therapeutic agent information connected to said internetwork network;
- a database of user profile information connected to said <u>internetwork network</u>; a server connected to said <u>internetwork network</u>, wherein
  - said server hosts a first computer readable server program code device for the entry of patient information into the database of patient information,
  - said server hosts a second computer readable server program code
    device for the entry of therapeutic substance infusion device
    information into the database of therapeutic substance infusion
    device information, said server hosts a third computer readable
    server program code device for the entry of user profile
    information into the database of user profiles, and
    said server hosts a fourth computer readable server program code
  - device for the entry of therapeutic agent data into the database of therapeutic agent information;
- a suite of computer readable remote program code devices in communication with said server for support of said therapeutic substance infusion devices connected through said <u>internetwork network</u> including:
- a first computer readable remote program code device adopted adapted to allow a user to manage therapeutic substance infusion devices, said first computer readable remote program code device adopted adapted to allow the user to submit therapeutic substance infusion device performance data to, and register a therapeutic substance infusion device with, a medical device manufacturer so that the medical device manufacturer can inform users of important therapeutic substance infusion device issues;

- a second computer readable remote program code device that allows the user access to reports detailing therapeutic substance infusion device patient support and device replacement management, said report providing a list of therapeutic substance infusion devices implanted in one or more patients, a schedule of events pertaining to these devices, and an estimated lifetime of the therapeutic substance infusion device; a third computer readable remote program code device which allows a user access to literature and materials providing information concerning therapeutic substance infusion devices, said literature and materials
- and a fourth computer readable remote program code device that allows a clinician access to a pharmacy wherein the clinician can place orders or refills of for a therapeutic agent on behalf of a patient.

being specifically targeted based upon user profile information;

- 75. (New) A method for managing a plurality of medical devices implanted into a plurality of patients, where a clinician is directing the therapies delivered by the plurality of medical devices:
  - providing a manufacturer of the medical devices with a plurality of data sets from at least one of the plurality of patients and the clinician, the data sets including information on operation of at least one of the plurality of devices; and
  - providing the clinician with a communication interface which is configured to present to the clinician information about the plurality of implanted devices which is based at least in part on an analysis of the data sets.
- 76. (New) The method of claim 75 wherein the plurality of data sets includes physiologic data.

- 77. (New) The method of claim 75 wherein at least one of the implanted devices is a therapeutic drug infusion device and the communication interface is further configured to accept from the clinician drug orders and transmit the drug orders to a pharmacy.
- 78. (New) The method of claim 75 wherein the information about the plurality of implanted devices includes a report on implanted device replacement dates.
- 79. (New) The method of claim 77 wherein the communication interface is further configured to provide published literature to the clinician.
- 80. (New) The method of claim 75 further comprising analyzing the plurality of data sets to predict the usable life of the plurality of devices.
- 81. (New) The method of claim 75 wherein the communication interface is implemented as an Internet graphical user interface application portal.
- 82. (New) The method of claim 81 wherein the graphical user interface is a user-configurable template.